
box-linux-sync Documentation

Release 0.1.0

Vítor Brandão

February 10, 2015

Contents

1	BIG FAT WARNING	3
2	Requirements	5
3	Installation	7
4	Usage	9
5	License	11
6	Authors	13
7	Indices and tables	15

An unofficial attempt to create a Linux synchronization client because Box.com does not provide one.

BIG FAT WARNING

This is work in progress. The daemon is not yet functional. But suggestions and patches are welcome ;) Thanks!

Requirements

- Python 2.7 and up (may work on earlier versions, haven't tested).
- Box.py
- 'Peewee <<https://github.com/coleifer/peewee>)
- Pyinotify
- Tornado

Installation

```
$ pip install box.py peewee pyinotify tornado
$ cd ~/path/of/your/choice
$ git clone git://github.com/noiselabs/box-linux-sync.git
```

Installation via Pip is not currently available. Let's wait for a proper release, OK?.

Usage

Check environment and setup box-sync and its dependencies:

```
$ box-linux-sync.git/bin/boxsync help
```

BoxSync command-line interface

commands:

Note: use boxsync help <command> to view usage for a specific command.

status	get current status of the boxsyncd
help	provide help
stop	stop boxsyncd
running	return whether boxsync is running
start	start boxsyncd
filestatus	get current sync status of one or more files
ls	list directory contents with current sync status
debug	run boxsyncd in debug mode
exclude	ignores/excludes a directory from syncing

For developers:

```
$ box-linux-sync.git/bin/boxsync debug
```

License

This application is licensed under the LGPLv3 License. See the [LICENSE file](#) for details.

Authors

Vítor Brandão - vitor@noiselabs.org ~ twitter.com/noiselabs ~ noiselabs.org

See also the list of [contributors](#) who participated in this project.

Indices and tables

- *genindex*
- *modindex*
- *search*